

A3 Colour Multifunction Printer

MP C2011SP

Copier Printer Scanner



MP C2011SP

20
ppm

Simple operation with high productivity

Business today can be complex and challenging, but the MP C2011SP makes life in the office simple with high productivity features from an easy to operate MFP. Best in class performance is delivered from a compact device with a small footprint that still offers advanced features for multifunctional operations. This versatile MFP produces full colour A3 output with two paper drawers for large sheet capacity. Low energy usage also means that the MP C2011SP is economical to run and friendly to the environment, combining exceptional performance with an affordable price.

- Fast output at 20 prints per minute for increased productivity
- Scanning to a wide range of destinations for easy document distribution
- Media capacity up to 2,300 sheets delivers uninterrupted print runs
- Double sided output reduces paper usage and cuts costs
- Effortless printing with Ricoh Smart Print & Scan mobile print app



Sophisticated features with high quality output from one device

High productivity for workgroups

Choose the Ricoh MP C2011SP to perform more tasks in less time. It offers exceptional recovery times so it's ready to work when you are. Auto Job Promotion prioritises jobs that are ready to print in the print queue and places them ahead of jobs that have been stopped due to errors and other reasons. Plus, the control panel offers animated, step-by-step guidance for easier, faster jam removal.



Advanced scanning functionality

The flexible Ricoh MP C2011SP lets you share your best ideas in better ways. Sophisticated scanning features include scanning originals to media cards, email, folder and to other locations, so they can be shared with anyone and anywhere. Compress file sizes for full colour scans and send them easily without compromising image quality. Take advantage of Distributed Scan Management (DSM) which allows you to automate many scanning functions and to create a set of rules and improve productivity.

Versatile paper handling with superior image quality

Professional quality output is assured with outstanding image resolution at 1,200 x 1,200 dpi. Users can scan and copy two-sided documents, like identification cards, on a single sheet of paper. Paper weights of up to 300 g/m² (duplex weight: 169 g/m²) can be used and for long print runs the two paper drawers hold a maximum capacity of 2,300 sheets. It is even possible to feed envelopes from the second paper drawer.

Strong environmental commitment with eco-conscious design

Make an impact with customers - and the environment. The MP C2011SP includes a host of features for an incredible low TEC value. It can be programmed to power on and off when not in use. It recovers from sleep mode with a fast, less than 8 second recovery time to preserve resources and productivity. The innovative PxP EQ toner melts at lower temperatures, requires less energy and minimises operating costs. Track your environmental goals with an eco-friendly screen that displays the percentage of double sided output, individual statistics as well as company wide use.



MP C2011SP

MAIN SPECIFICATIONS

GENERAL

Warm-up time:	19 seconds
First output speed:	Full colour: 7.7 seconds B/W: 5.5 seconds
Continuous output speed:	Full colour: 20 pages per minute B/W: 20 pages per minute
Memory:	Standard: 1.5 GB Maximum: 1.5 GB
HDD:	250 GB
Dimensions (W x D x H):	587 x 685 x 913 mm
Weight:	81 kg
Power source:	220 - 240 V, 50/60 Hz

COPIER

Copying process:	Dry electrostatic transfer system with dual component development
Multiple copying:	Up to 999 copies
Resolution:	600 dpi
Zoom:	From 25% to 400% in 1% steps

PRINTER

Printer language:	Standard: PCL5c, PCL6(XL), PDF Direct from Adobe®, Mediaprint (JPEG/TIFF) Option: Genuine Adobe® PostScript®3™
Print resolution:	1,200 x 1,200 dpi
Interface:	Standard: USB 2.0SD slotEthernet 10 base-T/100 base-TXEthernet 1000 Base-T Option: Wireless LAN (IEEE 802.11a/b/g/n)
Network protocol:	TCP/IP (IP v4, IP v6)
Windows® environments:	Windows® XP, Windows® Vista, Windows® 7, Windows® 8, Windows® Server 2003, Windows® Server 2003R2, Windows® Server 2008, Windows® Server 2008R2, Windows® Server 2012
Mac OS environments:	Macintosh OS X Native v10.5 or later
UNIX environments:	UNIX Sun® Solaris HP-UX SCO OpenServer RedHat® Linux Enterprise IBM® AIX
Novell® Netware® environments:	v6.5 or later
SAP® R/3® environments:	SAP® R/3®

SCANNER

Scanning speed:	Maximum 54 originals per minute
Resolution:	Maximum: 600 dpi
Original size:	A3, A4, A5, B4, B5, B6
Bundled drivers:	Network TWAIN
Scan to:	E-mail, Folder, USB, SD card

PAPER HANDLING

Recommended paper size:	Standard paper tray(s): A3, A4, A5, A6, B4, B5, B6
Paper input capacity:	Maximum: 2,300 sheets
Paper output capacity:	Maximum: 500 sheets
Paper weight:	52 - 300 g/m ²

ECOLOGY

Power consumption:	Maximum: 1,700 W Ready mode: 56.6 W Sleep mode: Less than 0.59 W TEC (Typical Electricity Consumption): 0.7 kWh
--------------------	--

SOFTWARE

Standard:	SmartDeviceMonitor, Web SmartDeviceMonitor®, Web Image Monitor
-----------	--

OPTIONS

ADF handle, 1 x 550-sheet paper tray, 2 x 550-sheet paper tray, Caster table, Cabinet, Wireless LAN (IEEE 802.11a/b/g/n), Counter interface, File format converter, Key counter bracket, Copy Data Security Unit, SRA3 unit, External keyboard bracket

For availability of models, options and software, please consult your local supplier.



www.rexrotary.com

elektroser

Turkey

ISO9001 certified, ISO14001 certified, ISO27001 certified

All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear.

Copyright © 2017 Ricoh Europe PLC. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Europe PLC.